SAN FRANCISCO PARK MAINTENANCE STANDARDS: PES4 EVALUATION FORM



PF-8 Children's Play Areas

<u>What is evaluated</u>: Areas with children's play equipment, whether independent play equipment (such as swings) or composite structures that include slides, decks, ladders, bridges, etc. All park types, not only those categorized as "playgrounds", may contain children's play areas ("CPAs").

Vegetation in CPAs should be evaluated under Ornamental Gardens, Shrubs, and Ground Covers. Hardscaped areas adjacent to, but not within, a CPA should be evaluated under Hardscapes and Trails.

(If this park feature is closed or cannot be found, check this box \square and make a note on the park Features List.)

No.	Element	Description with standard of measurement	Meets standard? (circle one answer)	Comments
8.1	Cleanliness	CPA is free of litter, debris and weeds.		
		The standard is <u>not</u> met if any of the following are true:		
		 more than 10 pieces of litter or debris are visible across any 		
		25' by 25' area or along a 100' line,	YES	
		 any sandbox has any litter or debris, 		
		 any rubber surface has sand spilled on to it, or 	NO	
		 a needle, condom, broken glass or feces is present. 		
		Litter/debris may include cigarette butts, paper, food wrappings,		
	Famalas	dumped items, limbs and rocks. Leaves should not be rated.		
8.2	Fencing	All CPA fencing is functional and in good condition.		
		The standard is <u>not</u> met if there is a:	YES	
		• protrusion,		
		 hole in any location, or 	NO	
		 passage along the base. 		
8.3	Functionality of equipment	At least 80% of play equipment is present and functional.	YES	
8.4			NO	
	Graffiti	The CPA and its equipment are free of graffiti.	YES	
			NO	
8.5	Integrity of equipment	CPA equipment is structurally sound.	110	
			VEC	
		The standard is <u>not</u> met if:	YES	
		• 20% or more of equipment has rust, rot, splinters or dents,	NO	
		there is a sharp edge or protrusion, or		
		any bolt, screw or other fastener is missing or loose.	VEC	
8.6	Painting	Play apparatus is free of peeling or chipped paint.	YES	
			NO	
8.7	Signage	All RPD signs are legible, free of graffiti, properly installed, and	YES	
		appropriately visible.		
		,	NO	
8.8	Surface quality	8.8.a Sand is loose (not compacted) and at least 12 inches deep.	YES	
			NO	
			NO	
		Circle "n/a" if the sand is wet from rain.	n/a	
		8.8.b All rubber surfacing is smooth and consistent.	, a	
		_	YES	
		The standard is <u>not</u> met if any rubber surfacing:		
		 is missing, or has a vertical drop greater than 1/4 inch. 	NO	
	tial Work Order	• •		

Potential Work Order Items

1